


NSA WELSH SHEEP 2025

Guidelines for Trade Stand Exhibitors - all Exhibitors must complete the form overleaf.

Using the guidelines shown below please consider what risk there is to those building up trade stands and to visitors during the event. Outline the steps you propose to take to minimise that risk in the table overleaf. If in your opinion there is no risk, please print NO RISK. **Please complete and give to the steward before you set up your stand, or deliver to the event office before setting up.**

HAZARD	WHO MIGHT BE HARMED	IS MORE NEEDED TO CONTROL THE RISK
Look only for hazards, which you could reasonably expect to result in significant harm under the conditions in your workplace. Use the following examples as a guide:	There is no need to list individuals by name – just think about groups of people doing similar work or who may be affected, eg:	For the hazards listed, do the precautions already taken:
<ul style="list-style-type: none"> Slipping/tripping hazards Chemical/Micro Organisms (eg: battery acid, Ecoli) Moving parts of machinery (eg: blades) Work at height (eg: ladder/step ladder work) Pressure systems Vehicles (eg: fork-lift trucks, low loaders, vehicle movement) Electricity/LPG Fumes (eg: vehicle engines) Manual handling (erecting pens, lifting stock) Noise Livestock 	<ul style="list-style-type: none"> Showground staff and tenants Your own staff Contractors Visitors Other exhibitors and traders Cleaners <p>Pay particular attention to:</p> <ul style="list-style-type: none"> Those with disabilities Children and Young People Inexperienced staff New or Expectant Mothers 	<ul style="list-style-type: none"> Meet the standards set by a legal requirement? Comply with a recognised industry standard? Represent good practice? Reduce risk as far as reasonably practicable? <p>Have you provided:</p> <ul style="list-style-type: none"> Adequate information, instruction or training? Adequate systems or procedures? <p>If so, then the risks are adequately controlled, but you need to indicate the precautions you have in place.</p> <p>Where the risk is not adequately controlled, indicate what more you need to do (the “action list”)</p>



TREGOYD, BRECON, POWYS, LD3 0SP
WEDNESDAY 21st MAY 2025

RISK ASSESSMENT FORM

Please complete using BLOCK CAPITALS or submit your own documentation

Company Name:	
Address:	
Responsible Person:	
Date Assessment Undertaken:	
Signature of Assessor:	

Hazard	Persons at Risk	Controls to minimise risk

Fire Assessment		
Liquefied Petroleum Gas (LPG) on site Yes / No No of cylinders xKg (Please complete)		